

| L Number | Hits | Search Text   | DB   | Time stamp       |
|----------|------|---|--|------------------|
| 1        | 0    | ((log\$3 adj file) with results) and (((ACD) OR (Call adj Distributor)) near2 switch)   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/01 11:52 |
| 2        | 12   | (log\$3 adj file) and (((ACD) OR (Call adj Distributor)) near2 switch)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/01 11:53 |
| 3        | 7    | (automatic with debug\$3) and (input adj file)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/01 12:16 |
| 4        | 1    | 1991-224703.NRAN.   | DERWENT                                    | 2003/10/01 12:19 |
| 8        | 12   | ("5359649"   "5384771"   "5440719"   "5598532"   "5706453"   "5715432"   "5809282"   "5838768"   "5870464"   "5892764"   "5917898"   "6012152").PN. | USPAT                                      | 2003/10/01 13:04 |
| 55       | 32   | program same execution same pause same specified  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/01 16:16 |
| 56       | 46   | Java and test\$3 and (program same execution same (pause OR wait))  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/01 16:19 |
| -        | 0    | java\$1bean same test\$3 same (input adj file)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 09:21 |
| -        | 70   | 717/124-135.ccls. and ((second OR first OR other) adj program)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/29 15:44 |
| -        | 1    | 717/124-135 and ((second OR first OR other) adj program)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/29 16:08 |
| -        | 6    | (717/124-135.ccls. and ((second OR first OR other) adj program)) and (input adj file)   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/29 15:44 |
| -        | 1    | 717/124-135 and ((second OR first OR multiple OR other) adj program)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/29 16:08 |
| -        | 94   | 717/124-135.ccls. and ((second OR first OR multiple OR other) adj program)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/29 16:08 |
| -        | 7    | (717/124-135.ccls. and ((second OR first OR multiple OR other) adj program)) and ((input OR config\$7) adj file)                                    | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/29 16:12 |
| -        | 24   | javabean same test\$3   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/29 16:14 |
| -        | 0    | (javabean same test\$3) and (input adj file)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/29 16:14 |
| -        | 19   | (javabean same test\$3) and file  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/29 16:31 |
| -        | 4    | ("5790977"   "6163797"   "6338148"   "6360268"   "2002/0004848"   "2002/0040409").PN.   | USPAT                                      | 2003/09/29 16:28 |

|   |       |   |  |                  |
|---|-------|---|--|------------------|
| - | 19    | ((javabeen same test\$3) and file) and program  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/29 16:31 |
| - | 81    | test\$3 and ((multiple OR second OR other OR first) adj program) and ((input OR test OR config\$7) adj file) and log                | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/29 16:38 |
| - | 31    | (test\$3 and ((multiple OR second OR other OR first) adj program) and ((input OR test OR config\$7) adj file) and log) and argument | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/29 16:34 |
| - | 16    | test\$3 same ((multiple OR second OR other OR first) adj program) and ((input OR test OR config\$7) adj file) and log               | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/29 16:38 |
| - | 367   | test\$3 and pass\$3 adj argument  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 09:22 |
| - | 47    | test\$3 and (pass\$3 adj argument) with program   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 09:26 |
| - | 13274 | automatic\$3 near2 test\$3  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 09:27 |
| - | 151   | (automatic\$3 near2 test\$3) and (input OR log) adj file  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 10:31 |
| - | 29    | ((automatic\$3 near2 test\$3) and (input OR log) adj file) and arguments  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 09:38 |
| - | 9     | ((automatic\$3 near2 test\$3) and (input OR log) adj file) and 717.clas.  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 10:38 |
| - | 268   | (loop adj command) and test\$3  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 10:44 |
| - | 1     | ((loop adj command) and test\$3) and sleep adj command  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 10:38 |
| - | 1     | (loop adj command) and (sleep adj command)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 10:44 |
| - | 0     | invoking with other with program  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 10:54 |
| - | 156   | (multiple near program) and test\$3 and input and log and file  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 10:55 |
| - | 53    | ((multiple near program) and test\$3 and input and log and file) and argument   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 10:55 |
| - | 9     | ("5911068"   "6038378"   "6042614"   "6216186"   "6360268"   "6519623"   "6519767"   "6523137"   "6542845").PN.                     | USPAT                                      | 2003/09/30 11:10 |

|   |      |  |  |                  |
|---|------|--|--|------------------|
| - | 0    | "testing a first program"  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 11:15 |
| - | 695  | testing with first with program  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 11:15 |
| - | 68   | (testing with first with program) and log  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 11:15 |
| - | 5    | ("5048018"   "5799142"   "5832272"   "5860009"   "6275980").PN.                                  | USPAT                                      | 2003/09/30 11:17 |
| - | 1356 | test\$3 and (program with location) same file  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 12:42 |
| - | 357  | test\$3 and ((program with location) same file) and log  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 12:43 |
| - | 103  | (test\$3 and ((program with location) same file) and log) and argument                           | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 12:43 |
| - | 97   | ((test\$3 and ((program with location) same file) and log) and argument) and pass\$2             | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 12:43 |
| - | 30   | ((test\$3 and ((program with location) same file) and log) and argument) and 717.clas.           | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 12:52 |
| - | 0    | (input adj file) same arguments same ((multiple OR other OR several) adj programs)               | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 12:53 |
| - | 1    | (input adj file) same arguments same ((multiple OR other OR several OR plurality) adj2 programs) | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 12:57 |
| - | 2830 | test\$3 same multiple same programs  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 12:57 |
| - | 138  | (test\$3 same multiple same programs) and ((config\$7 OR input OR setup) adj file)               | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 12:58 |
| - | 59   | ((test\$3 same multiple same programs) and ((config\$7 OR input OR setup) adj file)) and log.    | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 12:58 |
| - | 60   | Java\$1Bean and test\$3  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 15:44 |
| - | 4    | Java\$1Bean with test\$3   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 15:55 |
| - | 24   | Java\$1Bean and ((coomputer adj telephony adj integration) OR CTT)                               | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 15:57 |

|   |     |   |  |                  |
|---|-----|---|--|------------------|
| - | 24  | (Java\$1Bean and ((computer adj telephony adj integration) OR CTI)) and test\$3   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 15:55 |
| - | 24  | Java\$1Bean and ((computer adj telephony adj integration) OR CTI)   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 15:57 |
| - | 92  | Java\$1Bean and ((Automatic Call Distribut\$3) OR ACD)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 16:01 |
| - | 55  | (Java\$1Bean and ((Automatic Call Distribut\$3) OR ACD)) and test\$3  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 15:58 |
| - | 24  | Java\$1Bean and ((Automatic adj Call adj Distribut\$3) OR ACD)  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 16:03 |
| - | 24  | (Java\$1Bean and ((Automatic adj Call adj Distribut\$3) OR ACD)) and test\$3  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 16:02 |
| - | 37  | ((Automatic adj Call adj Distribut\$3) OR ACD) and ((computer adj telephony adj integration) OR CTI) and test\$3) and java                                      | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 16:03 |
| - | 107 | ((Automatic adj Call adj Distribut\$3) OR ACD) and ((computer adj telephony adj integration) OR CTI) and test\$3  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 17:20 |
| - | 328 | automatic\$4 same test\$3 same telephon\$3 same switch  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 17:06 |
| - | 3   | (automatic\$4 same test\$3 same telephon\$3 same switch) and java   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 17:06 |
| - | 47  | ((Automatic adj Call adj Distribut\$3) OR ACD) and ((computer adj telephony adj integration) OR CTI) and test\$3) and ((log OR input OR config\$7) adj file)    | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 17:17 |
| - | 1   | ((Automatic adj Call adj Distribut\$3) OR ACD) and ((computer adj telephony adj integration) OR CTI) and test\$3) and ((log AND (input OR config\$7)) adj file) | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 17:17 |
| - | 12  | ((Call adj Distribut\$3) OR ACD) near switch) and ((computer adj telephony adj integration) OR CTI) and test\$3   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 17:22 |
| - | 38  | debugging and ACD and CTI   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 17:26 |
| - | 98  | (debugging or testing) and (ACD OR PBX) and CTI   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 17:26 |
| - | 95  | ((debugging or testing) and (ACD OR PBX) and CTI) and program   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 17:26 |
| - | 76  | ((debugging or testing) and (ACD OR PBX) and CTI) and program) and log  | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 17:26 |

|   |    |  |  |                  |
|---|----|--|--|------------------|
| - | 76 | (((debugging or testing) and (ACD OR PBX) and CTT) and program) and log) and file            | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 17:26 |
| - | 75 | (((debugging or testing) and (ACD OR PBX) and CTT) and program) and log) and file) and input | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/09/30 17:27 |